



LAGOM 429




LAGOM 429001




LAGOM 429002



GEORGE
STREET
CHAMBERS




LAGOM 429003



LAGOM 429004




LAGOM 429001-02-04
3: 1:2



LAGOM 429003-04

6:4



LAGOM 429002-03-04



LAGOM 429001



LAGOM 429002



LAGOM 429003




LAGOM 429004


Specification 技术指标

Product Name 产品名称	LAGOM 429
Product Code 产品编码	LAGOM 429
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纱线	PNMIX®
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m ²) 绒重(克/平方米)	480 ± 5%
Tile size(mm) 地毯尺寸(毫米)	333.3x 1000
Pile height(mm) 平均绒高(毫米)	3.8 ± 0.5
Total thickness(mm) 总厚度(毫米)	5.8 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC

Recommended installation methods 建议铺装方式



Ashlar
上下错半



Herringbone
人字铺



Anti-fouling



Anti-static



Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability



Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mold