





LAGOM 430




LAGOM 430001-02


3:7




LAGOM 430001




LAGOM 430002



LAGOM 430003



LAGOM 430005




LAGOM 430002-05



5.4

4




LAGOM 430002-03-05


5: 3: 2



LAGOM 430001



LAGOM 430002



LAGOM 430003




LAGOM 430005


Specification 技术指标

Product Name 产品名称	LAGOM 430
Product Code 产品编码	LAGOM 430
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纱线	PNMIX®
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m ²) 绒重 (克 / 平方米)	480 ± 5%
Tile size(mm) 地毯尺寸 (毫米)	333.3x 1000
Pile height(mm) 平均绒高 (毫米)	3.8 ± 0.5
Total thickness(mm) 总厚度 (毫米)	5.8 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC

Recommended installation methods 建议铺装方式



Ashlar
上下错半



Herringbone
人字铺



Anti-fouling




Anti-static



Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability



Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mold