

LAGOM 433



LAGOM 433001




LAGOM 433002



LAGOM 433001-02


3:7



LAGOM 433001-11



LAGOM 433001-12



LAGOM 433001-11-12



LAGOM 433001-02



LAGOM 433002-21




LAGOM 433001-02-22



LAGOM 433002-22



LAGOM 433002-22




LAGOM 433001




LAGOM 433011




LAGOM 433012



LAGOM 433002



LAGOM 433021




LAGOM 433022


Specification 技术指标

Product Name 产品名称	LAGOM 433
Product Code 产品编码	LAGOM 433
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纱线	PNMIX®
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m²) 绒重 (克 / 平方米)	530 ± 5%
Tile size(mm) 地毯尺寸 (毫米)	333.3x 1000
Pile height(mm) 平均绒高 (毫米)	4.0± 0.5
Total thickness(mm) 总厚度 (毫米)	6.5± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式



Ashlar  
上下错半



Herringbone  
人字铺



Monolithi  
顺铺



Anti-fouling



Anti-static



Environmental



Passed various tests



Fashion colors



No fuzzing



Reduced Flammability



Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance



Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mold