





LAGOM 435




LAGOM 4350A




LAGOM 4350B




LAGOM 4350B




LAGOM 4350A/B




LAGOM 4350A/B




LAGOM 4350A/B



LAGOM 4350AB



LAGOM 4350A




LAGOM 4350B


Specification 技术指标

Product Name 产品名称	LAGOM 435
Product Code 产品编码	LAGOM 435
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纱线	PNMIX®
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m <sup>2</sup> ) 绒重(克/平方米)	530 ± 5%
Tile size(mm) 地毯尺寸(毫米)	500x 1000
Pile height(mm) 平均绒高(毫米)	4.0 ± 0.5
Total thickness(mm) 总厚度(毫米)	6.0 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式



Ashlar  
上下错半



Herringbone  
人字铺



Monolithi  
顺铺



Anti-fouling



Anti-static



Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability



Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance



Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mold